# 18 **DISCOURSE\***

Gracie: Oh yeah...and then Mr. and Mrs. Jones were having matrimonial trouble, and my brother was hired to watch Mrs. Jones.

George: Well, I imagine she was a very attractive woman.

Gracie: She was, and my brother watched her day and night for

six months.

George: Well, what happened? Gracie: She finally got a divorce.

George: Mrs. Jones?

Gracie: No, my brother's wife.

George Burns and Gracie Allen in The Salesgirl

Up to this point of the book, we have focused primarily on language phenomena that operate at the word or sentence level. Of course, language does not normally consist of isolated, unrelated sentences, but instead of collocated, related groups of sentences. We refer to such a group of sentences as a discourse.

DISCOLIRSE

The chapter you are now reading is an example of a discourse. It is in fact a discourse of a particular sort: a monologue. Monologues are characterized by a speaker (a term which will be used to include writers, as it is here), and a hearer (which, analogously, includes readers). The communication flows in only one direction in a monologue, that is, from the speaker to the hearer.

After reading this chapter, you may have a conversation with a friend about it, which would consist of a much freer interchange. Such a discourse is called a dialogue. In this case, each participant periodically takes turns DIALOGUE

This chapter was written by Andrew Kehler.

HCI

being a speaker and hearer. Unlike a typical monologue, dialogues generally consist of many different types of communicative acts: asking questions, giving answers, making corrections, and so forth.

Finally, computer systems exist and continue to be developed that allow for human-computer interaction, or HCI. HCI has properties that distinguish it from normal human-human dialogue, in part due to the present-day limitations on the ability of computer systems to participate in free, unconstrained conversation. A system capable of HCI will often employ a strategy to constrain the conversation in ways that allow it to understand the user's utterances within a limited context of interpretation.

While many discourse processing problems are common to these three forms of discourse, they differ in enough respects that different techniques have often been used to process them. This chapter focuses on techniques commonly applied to the interpretation of monologues; techniques for dialogue interpretation and HCI will be described in Chapter 19.

Language is rife with phenomena that operate at the discourse level. Consider the discourse shown in example (18.1).

(18.1) John went to Bill's car dealership to check out an Acura Integra. He looked at it for about an hour.

What do pronouns such as *he* and *it* denote? No doubt that the reader had little trouble figuring out that *he* denotes John and not Bill, and that *it* denotes the Integra and not Bill's car dealership. On the other hand, toward the end of the exchange presented at the beginning of this chapter, it appears that George had some trouble figuring out who Gracie meant when saying *she*.

What differentiates these two examples? How do hearers interpret discourse (18.1) with such ease? Can we build a computational model of this process? These are the types of questions we address in this chapter. In Section 18.1, we describe methods for interpreting *referring expressions* such as pronouns. We then address the problem of establishing the *coherence* of a discourse in Section 18.2. Finally, in Section 18.3 we explain methods for determining the *structure* of a discourse.

Because discourse-level phenomena are ubiquitous in language, algorithms for resolving them are essential for a wide range of language applications. For instance, interactions with query interfaces and dialogue interpretation systems like ATIS (see Chapter 9) frequently contain pronouns and similar types of expressions. So when a user spoke passage (18.2) to an ATIS system,

(18.2) I'd like to get from Boston to San Francisco, on either December 5th or December 6th. It's okay if it stops in another city along the way.

the system had to figure out that it denotes the flight that the user wants to book in order to perform the appropriate action.

Similarly, information extraction systems (see Chapter 15) must frequently extract information from utterances that contain pronouns. For instance, if an information extraction system is confronted with passage (18.3),

(18.3) First Union Corp is continuing to wrestle with severe problems unleashed by a botched merger and a troubled business strategy. According to industry insiders at Paine Webber, their president, John R. Georgius, is planning to retire by the end of the year.

it must correctly identify First Union Corp as the denotation of their (as opposed to Paine Webber, for instance) in order to extract the correct event.

Likewise, many text summarization systems employ a procedure for selecting the important sentences from a source document and using them to form a summary. Consider, for example, a news article that contains passage (18.3). Such a system might determine that the second sentence is important enough to be included in the summary, but not the first. However, the second sentence contains a pronoun that is dependent on the first sentence, so it cannot place the second sentence in the summary without first determining the pronoun's denotation, as the pronoun would otherwise likely receive a different interpretation within the summary. Similarly, natural language generation systems (see Chapter 20) must have adequate models for pronominalization to produce coherent and interpretable discourse. In short, just about any conceivable language processing application requires methods for determining the denotations of pronouns and related expressions.

## 18.1 REFERENCE RESOLUTION

In this section we study the problem of reference, the process by which speakers use expressions like *John* and *he* in passage (18.1) to denote a person named John. Our discussion requires that we first define some terminology. A natural language expression used to perform reference is called a referring expression, and the entity that is referred to is called the referent. Thus, *John* and *he* in passage (18.1) are referring expressions, and John is their referent. (To distinguish between referring expressions and their referents, we italicize the former.) As a convenient shorthand, we will sometimes

REFERENCE



CORFFER

ANTECEDEN?

ANAPHORA ANAPHORIC

SITUATIONAL CONTEXT

speak of a referring expression referring to a referent, e.g., we might say that he refers to John. However, the reader should keep in mind that what we really mean is that the speaker is performing the act of referring to John by uttering he. Two referring expressions that are used to refer to the same entity are said to corefer, thus John and he corefer in passage (18.1). There is also a term for a referring expression that licenses the use of another, in the way that the mention of John allows John to be subsequently referred to using he. We call John the antecedent of he. Reference to an entity that has been previously introduced into the discourse is called anaphora, and the referring expression used is said to be anaphoric. In passage (18.1), the pronouns he and it are therefore anaphoric.

Natural languages provide speakers with a variety of ways to refer to entities. Say that your friend has an Acura Integra automobile and you want to refer to it. Depending on the operative discourse context, you might say it, this, that, this car, that car, the car, the Acura, the Integra, or my friend's car, among many other possibilities. However, you are not free to choose between any of these alternatives in any context. For instance, you cannot simply say it or the Acura if the hearer has no prior knowledge of your friend's car, it has not been mentioned before, and it is not in the immediate surroundings of the discourse participants (i.e., the situational context of the discourse).

The reason for this is that each type of referring expression encodes different signals about the place that the speaker believes the referent occupies within the hearer's set of beliefs. A subset of these beliefs that has a special status form the hearer's mental model of the ongoing discourse, which we call a discourse model (Webber, 1978). The discourse model contains representations of the entities that have been referred to in the discourse and the relationships in which they participate. Thus, there are two components required by a system to successfully produce and interpret referring expressions: a method for constructing a discourse model that evolves with the dynamically-changing discourse it represents, and a method for mapping between the signals that various referring expressions encode and the hearer's set of beliefs, the latter of which includes this discourse model.

We will speak in terms of two fundamental operations to the discourse model. When a referent is first mentioned in a discourse, we say that a representation for it is evoked into the model. Upon subsequent mention, this representation is accessed from the model. The operations and relationships are illustrated in Figure 18.1.

**EVOKED** ACCESSED Section 18.1.




Figure 18.1 Reference operations and relationships.

We will restrict our discussion to reference to entities, although discourses include reference to many other types of referents. Consider the possibilities in example (18.4), adapted from Webber (1991).

- (18.4) According to John, Bob bought Sue an Integra, and Sue bought Fred a Legend.
  - a. But that turned out to be a lie.
  - b. But that was false.
  - c. That struck me as a funny way to describe the situation.
  - d. That caused Sue to become rather poor.
  - e. That caused them both to become rather poor.

The referent of *that* is a speech act (see Chapter 19) in (18.4a), a proposition in (18.4b), a manner of description in (18.4c), an event in (18.4d), and a combination of several events in (18.4e). The field awaits the development of robust methods for interpreting these types of reference.

#### Reference Phenomena

The set of referential phenomena that natural languages provide is quite rich indeed. In this section, we provide a brief description of several basic reference phenomena. We first survey five types of referring expression: indefinite noun phrases, definite noun phrases, pronouns, demonstratives, and

18.

one-anaphora. We then describe three types of referents that complicate the reference resolution problem: inferrables, discontinuous sets, and generics

Indefinite Noun Phrases Indefinite reference introduces entities that are new to the hearer into the discourse context. The most common form of indefinite reference is marked with the determiner a (or an), as in (18.5), but it can also be marked by a quantifier such as some (18.6) or even the determiner this (18.7).

- (18.5) I saw an Acura Integra today.
- (18.6) Some Acura Integras were being unloaded at the local dealership today.
- (18.7) I saw this awesome Acura Integra today.

Such noun phrases evoke a representation for a new entity that satisfies the given description into the discourse model.

The indefinite determiner a does not indicate whether the entity is identifiable to the speaker, which in some cases leads to a specific/non-specific ambiguity. Example (18.5) only has the specific reading, since the speaker has a particular Integra in mind, particularly the one she saw. In sentence (18.8), on the other hand, both readings are possible.

(18.8) I am going to the dealership to buy an Acura Integra today.

That is, the speaker may already have the Integra picked out (specific), or may just be planning to pick one out that is to her liking (nonspecific). The readings may be disambiguated by a subsequent referring expression in some contexts; if this expression is definite then the reading is specific (I hope they still have it), and if it is indefinite then the reading is nonspecific (I hope they have a car I like). This rule has exceptions, however; for instance definite expressions in certain modal contexts (I will park it in my garage) are compatible with the nonspecific reading.

**Definite Noun Phrases** Definite reference is used to refer to an entity that is identifiable to the hearer, either because it has already been mentioned in the discourse context (and thus is represented in the discourse model), it is contained in the hearer's set of beliefs about the world, or the uniqueness of the object is implied by the description itself.

The case in which the referent is identifiable from discourse context is shown in example (18.9).

(18.9) I saw an Acura Integra today. The Integra was white and needed to be washed.

Examples in which the referent is either identifiable from the hearer's set of beliefs or is inherently unique are shown in (18.10) and (18.11) respectively.

- (18.10) The Indianapolis 500 is the most popular car race in the US.
- (18.11) The fastest car in the Indianapolis 500 was an Integra.

Definite noun phrase reference requires that an entity be accessed from either the discourse model or the hearer's set of beliefs about the world. In the latter case, it also evokes a representation of the referent into the discourse model.

**Pronouns** Another form of definite reference is pronominalization, illustrated in example (18.12).

(18.12) I saw an Acura Integra today. It was white and needed to be washed.

The constraints on using pronominal reference are stronger than for full definite noun phrases, requiring that the referent have a high degree of activation or salience in the discourse model. Pronouns usually (but not always) refer to entities that were introduced no further than one or two sentences back in the ongoing discourse, whereas definite noun phrases can often refer further back. This is illustrated by the difference between sentences (18.13d) and (18.13d').

SALIENCE

- (18.13) a. John went to Bob's party, and parked next to a beautiful Acura Integra.
  - b. He went inside and talked to Bob for more than an hour.
  - c. Bob told him that he recently got engaged.
  - d. ?? He also said that he bought it yesterday.
  - d.' He also said that he bought the Acura yesterday.

By the time the last sentence is reached, the Integra no longer has the degree of salience required to allow for pronominal reference to it.

Pronouns can also participate in **cataphora**, in which they are mentioned before their referents are, as in example (18.14).

TAPHORA

BOUND

(18.14) Before he bought it, John checked over the Integra very carefully.

Here, the pronouns he and it both occur before their referents are introduced.

Pronouns also appear in quantified contexts in which they are considered to be bound, as in example (18.15).

(18.15) Every woman bought her Acura at the local dealership.

Under the relevant reading, her does not refer to some woman in context, but instead behaves like a variable bound to the quantified expression every woman. We will not be concerned with the bound interpretation of pronouns in this chapter.

**Demonstratives** Demonstrative pronouns, like *this* and *that*, behave somewhat differently than simple definite pronouns like *it*. They can appear either alone or as determiners, for instance, *this Acura*, *that Acura*. The choice between two demonstratives is generally associated with some notion of spatial proximity: *this* indicating closeness and *that* signaling distance. Spatial distance might be measured with respect to the discourse participants' situational context, as in example (18.16).

(18.16) [John shows Bob an Acura Integra and a Mazda Miata] Bob (pointing): I like *this* better than *that*.

Alternatively, distance can be metaphorically interpreted in terms of conceptual relations in the discourse model. For instance, consider example (18.17).

(18.17) I bought an Integra yesterday. It's similar to the one I bought five years ago. *That one* was really nice, but I like *this one* even better.

Here, that one refers to the Acura bought five years ago (greater temporal distance), whereas this one refers to the one bought yesterday (closer temporal distance).

One Anaphora One-anaphora, exemplified in (18.18), blends properties of definite and indefinite reference.

(18.18) I saw no less than 6 Acura Integras today. Now I want one.

This use of *one* can be roughly paraphrased by *one of them*, in which *them* refers to a plural referent (or generic one, as in the case of (18.18), see below), and *one* selects a member from this set (Webber, 1983). Thus, *one* may evoke a new entity into the discourse model, but it is necessarily dependent on an existing referent for the description of this new entity.

This use of *one* should be distinguished from the formal, non-specific pronoun usage in (18.19), and its meaning as the number one in (18.20).

(18.19) One shouldn't pay more than twenty thousand dollars for an Acura. (18.20) John has two Acuras, but I only have one.

**Inferrables** Now that we have described several types of referring expressions, we now turn our attention to a few interesting types of referents that

complicate the reference resolution problem. First, we consider cases in which a referring expression does not refer to an entity that has been explicitly evoked in the text, but instead one that is inferentially related to an evoked entity. Such referents are called *inferrables* (Haviland and Clark, 1974; Prince, 1981). Consider the expressions a door and the engine in sentence (18.21).

(18.21) I almost bought an Acura Integra today, but *a door* had a dent and *the engine* seemed noisy.

The indefinite noun phrase *a door* would normally introduce a new door into the discourse context, but in this case the hearer is to infer something more: that it is not just any door, but one of the doors of the Integra. Similarly, the use of the definite noun phrase *the engine* normally presumes that an engine has been previously evoked or is otherwise uniquely identifiable. Here, no engine has been explicitly mentioned, but the hearer infers that the referent is the engine of the previously mentioned Integra.

Inferrables can also specify the results of processes described by utterances in a discourse. Consider the possible follow-ons (a-c) to sentence (18.22) in the following recipe (from Webber and Baldwin (1992)):

- (18.22) Mix the flour, butter, and water.
  - a. Kneed the dough until smooth and shiny.
  - b. Spread the paste over the blueberries.
  - c. Stir the batter until all lumps are gone.

Any of the expressions *the dough* (a solid), *the batter* (a liquid), and *the paste* (somewhere in between) can be used to refer to the result of the actions described in the first sentence, but all imply different properties of this result.

**Discontinuous Sets** In some cases, references using plural referring expressions like *they* and *them* (see page 678) refer to sets of entities that are evoked together, for instance, using another plural expression (*their Acuras*) or a conjoined noun phrase (*John and Mary*):

(18.23) John and Mary love their Acuras. They drive them all the time.

However, plural references may also refer to sets of entities that have been evoked by discontinuous phrases in the text:

(18.24) John has an Acura, and Mary has a Mazda. *They* drive *them* all the time.

Here, they refers to John and Mary, and likewise them refers to the Acura and the Mazda. Note also that the second sentence in this case will generally receive what is called a pairwise or respectively reading, in which John

drives the Acura and Mary drives the Mazda, as opposed to the reading in which they both drive both cars.

Generics Making the reference problem even more complicated is the existence of *generic* reference. Consider example (18.25).

(18.25) I saw no less than 6 Acura Integras today. They are the coolest cars. Here, the most natural reading is not the one in which they refers to the particular 6 Integras mentioned in the first sentence, but instead to the class of Integras in general.

## Syntactic and Semantic Constraints on Coreference

Having described a variety of reference phenomena that are found in natural language, we can now consider how one might develop algorithms for identifying the referents of referential expressions. One step that needs to be taken in any successful reference resolution algorithm is to filter the set of possible referents on the basis of certain relatively hard-and-fast constraints. We describe some of these constraints here.

Number Agreement Referring expressions and their referents must agree in number; for English, this means distinguishing between singular and plural references. A categorization of pronouns with respect to number is shown in Figure 18.2.

Singular	Plural	Unspecified	
she, her, he, him, his, it	we, us, they, them	you	
Figure 18.2 Number	agreement in the English pronor	ninal system.	

The following examples illustrate constraints on number agreement.

- (18.26) John has a new Acura. It is red.
- (18.27) John has three new Acuras. They are red.
- (18.28) \* John has a new Acura. They are red.
- (18.29) \* John has three new Acuras. It is red.

Person and Case Agreement English distinguishes between three forms of person: first, second, and third. A categorization of pronouns with respect to person is shown in Figure 18.3.

The following examples illustrate constraints on person agreement. (18.30) You and I have Acuras. We love them.

First		Second	Third	
Nominative	I, we	you	he, she, they	
Accusative	me, us	you	him, her, them	
Genitive	my, our	your	his, her, their	

Figure 18.3 Person and case agreement in the English pronominal system.

- (18.31) John and Mary have Acuras. They love them.
- (18.32) \* John and Mary have Acuras. We love them. (where We=John and Mary)
- (18.33) \* You and I have Acuras. They love them. (where They=You and I)

In addition, English pronouns are constrained by case agreement; different forms of the pronoun may be required when placed in subject position (nominative case, e.g., he, she, they), object position (accusative case, e.g., him, her, them), and genitive position (genitive case, e.g., his Acura, her Acura, their Acura). This categorization is also shown in Figure 18.3.

Gender Agreement Referents also must agree with the gender specified by the referring expression. English third person pronouns distinguish between *male*, *female*, and *nonpersonal* genders, and unlike some languages, the first two only apply to animate entities. Some examples are shown in Figure 18.4.

masculine	feminine	nonpersonal
he, him, his	she, her	it
Figure 18.4	Gender agreement in the Engl	lish pronominal system.

The following examples illustrate constraints on gender agreement.

- (18.34) John has an Acura. He is attractive. (he=John, not the Acura)
- (18.35) John has an Acura. It is attractive. (it=the Acura, not John)

**Syntactic Constraints** Reference relations may also be constrained by the syntactic relationships between a referential expression and a possible antecedent noun phrase when both occur in the same sentence. For instance, the pronouns in all of the following sentences are subject to the constraints indicated in brackets.

- (18.36) John bought himself a new Acura. [himself=John]
- (18.37) John bought him a new Acura. [him≠John]

- (18.38) John said that Bill bought him a new Acura. [him≠Bill]
- (18.39) John said that Bill bought himself a new Acura. [himself=Bi]]
- (18.40) He said that he bought John a new Acura. [He≠John; he≠John]

REFLEXIVES

English pronouns such as *himself*, *herself*, and *themselves* are called **reflexives**. Oversimplifying the situation considerably, a reflexive corefers with the subject of the most immediate clause that contains it (ex. 18.36), whereas a nonreflexive cannot corefer with this subject (ex. 18.37). That this rule applies only for the subject of the most immediate clause is shown by examples (18.38) and (18.39), in which the opposite reference pattern is manifest between the pronoun and the subject of the higher sentence. On the other hand, a full noun phrase like *John* cannot corefer with the subject of the most immediate clause nor with a higher-level subject (ex. 18.40).

Whereas these syntactic constraints apply to a referring expression and a particular potential antecedent noun phrase, these constraints actually prohibit coreference between the two regardless of any other available antecedents that denote the same entity. For instance, normally a nonreflexive pronoun like *him* can corefer with the subject of the previous sentence as it does in example (18.41), but it cannot in example (18.42) because of its syntactic relationship with the coreferential pronoun *he* in the second clause.

- (18.41) John wanted a new car. Bill bought him a new Acura. [him=John].
- (18.42) John wanted a new car. He bought him a new Acura. [he=John; him≠John]

These rules oversimplify the situation in a number of ways, and there are many cases that they do not cover. Indeed, upon further inspection the facts actually get quite complicated. In fact, it is unlikely that all of the data can be explained using only syntactic relations (Kuno, 1987). For instance, the reflexive *himself* and the nonreflexive *him* in sentences (18.43) and (18.44) respectively can both refer to the subject *John*, even though they occur in identical syntactic configurations.

- (18.43) John set the pamphlets about Acuras next to himself. [himself=John]
- (18.44) John set the pamphlets about Acuras next to him. [him=John] For the algorithms discussed later in this chapter, however, we will assume a syntactic account of restrictions on intrasentential coreference.

Selectional Restrictions The selectional restrictions that a verb places on its arguments (see Chapter 16) may be responsible for eliminating referents, as in example (18.45).

(18.45) John parked his Acura in the garage. He had driven it around for hours.

There are two possible referents for *it*, the Acura and the garage. The verb *drive*, however, requires that its direct object denote something that can be driven, such as a car, truck, or bus, but not a garage. Thus, the fact that the pronoun appears as the object of *drive* restricts the set of possible referents to the Acura. It is conceivable that a practical NLP system would include a reasonably comprehensive set of selectional constraints for the verbs in its lexicon.

Selectional restrictions can be violated in the case of metaphor (see Chapter 16); for example, consider example (18.46).

(18.46) John bought a new Acura. It drinks gasoline like you would not believe.

While the verb *drink* does not usually take an inanimate subject, its metaphorical use here allows *it* to refer to *a new Acura*.

Of course, there are more general semantic constraints that may come into play, but these are much more difficult to encode in a comprehensive manner. Consider passage (18.47).

(18.47) John parked his Acura in the garage. It is incredibly messy, with old bike and car parts lying around everywhere.

Here the referent of *it* is almost certainly the garage, due in part to the fact that a car is probably too small to have bike and car parts laying around "everywhere". Resolving this reference requires that a system have knowledge about how large cars typically are, how large garages typically are, and the typical types of objects one might find in each. On the other hand, one's knowledge about Beverly Hills might lead one to assume that the Acura is indeed the referent of *it* in passage (18.48).

(18.48) John parked his Acura in downtown Beverly Hills. It is incredibly messy, with old bike and car parts lying around everywhere.

In the end, just about any knowledge shared by the discourse participants might be necessary to resolve a pronoun reference. However, due in part to the vastness of such knowledge, practical algorithms typically do not rely on it heavily.

## **Preferences** in Pronoun Interpretation

In the previous section, we discussed relatively strict constraints that algorithms should apply when determining possible referents for referring ex-

pressions. We now discuss some more readily violated *preferences* that algorithms can be made to account for. These preferences have been posited to apply to pronoun interpretation in particular. Since the majority of work on reference resolution algorithms has focused on pronoun interpretation, we will similarly focus on this problem in the remainder of this section.

**Recency** Most theories of reference incorporate the notion that entities introduced in recent utterances are more salient than those introduced from utterances further back. Thus, in example (18.49), the pronoun *it* is more likely to refer to the Legend than the Integra.

(18.49) John has an Integra. Bill has a Legend. Mary likes to drive it.

Grammatical Role Many theories specify a salience hierarchy of entities that is ordered by the grammatical position of the expressions which denote them. These typically treat entities mentioned in subject position as more salient than those in object position, which are in turn more salient than those mentioned in subsequent positions.

Passages such as (18.50) and (18.51) lend support for such a hierarchy. Although the first sentence in each case expresses roughly the same propositional content, the preferred referent for the pronoun *him* varies with the subject in each case – John in (18.50) and Bill in (18.51). In example (18.52), the references to John and Bill are conjoined within the subject position. Since both seemingly have the same degree of salience, it is unclear to which the pronoun refers.

- (18.50) John went to the Acura dealership with Bill. He bought an Integra. [he = John]
- (18.51) Bill went to the Acura dealership with John. He bought an Integra, [he = Bill]
- (18.52) John and Bill went to the Acura dealership. He bought an Integra. [ he = ?? ].

Repeated Mention Some theories incorporate the idea that entities that have been focused on in the prior discourse are more likely to continue to be focused on in subsequent discourse, and hence references to them are more likely to be pronominalized. For instance, whereas the pronoun in example (18.51) has Bill as its preferred interpretation, the pronoun in the final sentence of example (18.53) is more likely to refer to John.

(18.53) John needed a car to get to his new job. He decided that he wanted something sporty. Bill went to the Acura dealership with him. He bought an Integra. [he = John]

**Parallelism** There are also strong preferences that appear to be induced by parallelism effects, as in example (18.54).

(18.54) Mary went with Sue to the Acura dealership. Sally went with her to the Mazda dealership. [ her = Sue ]

The grammatical role hierarchy described above ranks Mary as more salient than Sue, and thus should be the preferred referent of *her*. Furthermore, there is no semantic reason that Mary cannot be the referent. Nonetheless, *her* is instead understood to refer to Sue.

This suggests that we might want a heuristic which says that nonsubject pronouns prefer non-subject referents. However, such a heuristic may not work for cases that lack the structural parallelism of example (18.54), such as example (18.55), in which Mary is the preferred referent of the pronoun instead of Sue.

(18.55) Mary went with Sue to the Acura dealership. Sally told her not to buy anything. [ her = Mary ]

**Verb Semantics** Certain verbs appear to place a semantically-oriented emphasis on one of their argument positions, which can have the effect of biasing the manner in which subsequent pronouns are interpreted. Compare sentences (18.56) and (18.57).

- (18.56) John telephoned Bill. He lost the pamphlet on Acuras.
- (18.57) John criticized Bill. He lost the pamphlet on Acuras.

These examples differ only in the verb used in the first sentence, yet the subject pronoun in passage (18.56) is typically resolved to John, whereas the pronoun in passage (18.57) is resolved to Bill. Some researchers have claimed that this effect results from what has been called the "implicit causality" of a verb: the implicit cause of a "criticizing" event is considered to be its object, whereas the implicit cause of a "telephoning" event is considered to be its subject. This emphasis results in a higher degree of salience for the entity in this argument position, which leads to the different preferences for examples (18.56) and (18.57).

Similar preferences have been articulated in terms of the thematic roles (see Chapter 16) that the potential antecedents occupy. For example, most hearers resolve *He* to John in example (18.58) and to Bill in example (18.59). Although these referents are evoked from different grammatical role positions, they both fill the Goal thematic role of their corresponding verbs, whereas the other potential referent fills the Source role. Likewise, hearers

Discourse

generally resolve He to John and Bill in examples (18.60) and (18.61) respectively, providing evidence that fillers of the Stimulus role are preferred over fillers of the Experiencer role.

- (18.58) John seized the Acura pamphlet from Bill. He loves reading about cars. (Goal=John, Source=Bill)
- (18.59) John passed the Acura pamphlet to Bill. He loves reading about cars. (Goal=Bill, Source=John)
- (18.60) The car dealer admired John. He knows Acuras inside and out. (Stimulus=John, Experiencer=the car dealer)
- (18.61) The car dealer impressed John. He knows Acuras inside and out. (Stimulus=the car dealer, Experiencer=John)

# An Algorithm for Pronoun Resolution

None of the algorithms for pronoun resolution that have been proposed to date successfully account for all of these preferences, let alone succeed in resolving the contradictions that will arise between them. However, Lappin and Leass (1994) describe a straightforward algorithm for pronoun interpretation that takes many of these into consideration. The algorithm employs a simple weighting scheme that integrates the effects of the recency and syntactically-based preferences; no semantic preferences are employed beyond those enforced by agreement. We describe a slightly simplified portion of the algorithm that applies to non-reflexive, third person pronouns.

Broadly speaking, there are two types of operations performed by the algorithm: discourse model update and pronoun resolution. First, when a noun phrase that evokes a new entity is encountered, a representation for it must be added to the discourse model and a degree of salience (which we call a salience value) computed for it. The salience value is calculated as the sum of the weights assigned by a set of salience factors. The salience factors used and their corresponding weights are shown in Figure 18.5.

The weights that each factor assigns to an entity in the discourse model are cut in half each time a new sentence is processed. This, along with the added effect of the sentence recency weight (which initially assigns a weight of 100, to be cut in half with each succeeding sentence), captures the Recency preference described on page 682, since referents mentioned in the current sentence will tend to have higher weights than those in the previous sentence, which will in turn be higher than those in the sentence before that, and so forth.



Sentence recency	100
Subject emphasis	80
Existential emphasis	70
Accusative (direct object) emphasis	50
Indirect object and oblique complement emphasis	40
Non-adverbial emphasis	50
Head noun emphasis	80

Figure 18.5 Salience factors in Lappin and Leass's system.

Similarly, the next five factors in Figure 18.5 can be viewed as a way of encoding a grammatical role preference scheme using the following hierarchy:

subject > existential predicate nominal > object > indirect object or oblique > demarcated adverbial PP

These five positions are exemplified by the position of the italicized phrases in examples (18.62)–(18.66) respectively.

- (18.62) An Acura Integra is parked in the lot. (subject)
- (18.63) There is an Acura Integra parked in the lot. (existential predicate nominal)
- (18.64) John parked an Acura Integra in the lot. (object)
- (18.65) John gave his Acura Integra a bath. (indirect object)
- (18.66) Inside his Acura Integra, John showed Susan his new CD player. (demarcated adverbial PP)

The preference against referents in demarcated adverbial PPs (i.e., those separated by punctuation, as with the comma in example (18.66)) is encoded as a positive weight of 50 for every other position, listed as the non-adverbial emphasis weight in Figure 18.5. This ensures that the weight for any referent is always positive, which is necessary so that the effect of halving the weights is always to reduce them.

The head noun emphasis factor penalizes referents which are embedded in larger noun phrases, again by promoting the weights of referents that are not. Thus, the Acura Integra in each of examples (18.62)–(18.66) will receive 80 points for being denoted by a head noun, whereas the Acura Integra in example (18.67) will not, since it is embedded within the subject noun phrase.

(18.67) The owner's manual for an Acura Integra is on John's desk.

Each of these factors contributes to the salience of a referent based on the properties of the noun phrase that denotes it. Of course, it could be that several noun phrases in the preceding discourse refer to the same referent. each being assigned a different level of salience, and thus we need a way in which to combine the contributions of each. To address this, Lappin and Leass associate with each referent an equivalence class that contains all of the noun phrases that have been determined to refer to it. The weight that a salience factor assigns to a referent is the highest of the weights it assigns to the members of its equivalence class. The salience weight for a referent is then calculated by summing the weights for each factor. The scope of a salience factor is a sentence, so, for instance, if a potential referent is mentioned in the current sentence as well as the previous one, the sentence recency weight will be factored in for each. (On the other hand, if the same referent is mentioned more than once in the same sentence, this weight will be counted only once.) Thus, multiple mentions of a referent in the prior discourse can potentially increase its salience, which has the effect of encoding the preference for repeated mentions discussed on page 682.

Once we have updated the discourse model with new potential referents and recalculated the salience values associated with them, we are ready to consider the process of resolving any pronouns that exist within a new sentence. In doing this, we factor in two more salience weights, one for grammatical role parallelism between the pronoun and the potential referent, and one to disprefer cataphoric reference. The weights are shown in Figure 18.6. Unlike the other preferences, these two cannot be calculated independently of the pronoun, and thus cannot be calculated during the discourse model update step. We will use the term *initial salience value* for the weight of a given referent before these factors are applied, and the term *final salience value* for after they have applied.

	Role Parallelism	35
	Cataphora	-175
Figure 18.6	Per pronoun salience weigh	nts in Lappin and Leass's system.

We are now ready to specify the pronoun resolution algorithm. Assuming that the discourse model has been updated to reflect the initial salience values of referents as described above, the steps taken to resolve a pronoun are as follows:

Collect the potential referents (up to four sentences back).

- Remove potential referents that do not agree in number or gender with the pronoun.
- 3. Remove potential referents that do not pass intrasentential syntactic coreference constraints (as described on page 679).
- 4. Compute the total salience value of the referent by adding any applicable values from Figure 18.6 to the existing salience value previously computed during the discourse model update step (i.e., the sum of the applicable values in Figure 18.5).
- Select the referent with the highest salience value. In the case of ties, select the closest referent in terms of string position (computed without bias to direction).

We illustrate the operation of the algorithm by stepping through example (18.68).

(18.68) John saw a beautiful Acura Integra at the dealership. He showed it to Bob. He bought it.

We first process the first sentence to collect potential referents and compute their initial salience values. The following table shows the contribution to salience of each of the salience factors.

	Rec	Subj	Exist	Obj	Ind-Obj	Non-Adv	Head N	Total
John	100	80				50	80	310
Integra	100			50		50	80	280
dealership	100					50	80	230

There are no pronouns to be resolved in this sentence, so we move on to the next, degrading the above values by a factor of two as shown in the table below. The *phrases* column shows the equivalence class of referring expressions for each referent.

Referent	Phrases	Value
John	{ John }	155
Integra	{ a beautiful Acura Integra }	140
dealership	$\{ the dealership \}$	115

The first noun phrase in the second sentence is the pronoun *he*. Because *he* specifies male gender, Step 2 of the resolution algorithm reduces the set of possible referents to include only John, so we can stop there and take this to be the referent.

The discourse model must now be updated. First, the pronoun he is added in the equivalence class for John (denoted as  $he_1$ , to differentiate it from possible other mentions of he). Since he occurs in the current sentence and John in the previous one, the salience factors do not overlap between the two. The pronoun is in the current sentence (recency=100), subject position (=80), not in an adverbial (=50), and not embedded (=80), and so a total of 310 is added to the current weight for John:

Referent	Phrases	Value
John	$\{ John, he_1 \}$	465
Integra	{ a beautiful Acura Integra }	140
dealership	{ the dealership }	115

The next noun phrase in the second sentence is the pronoun *it*, which is compatible with the Integra or the dealership. We first need to compute the final salience values by adding the applicable weights from Figure 18.6 to the initial salience values above. Neither referent assignment would result in cataphora, so that factor does not apply. For the parallelism preference, both *it* and *a beautiful Acura Integra* are in object position within their respective sentences (whereas *the dealership* is not), so a weight of 35 is added to this option. With the Integra having a weight of 175 and the dealership a weight of 115, the Integra is taken to be the referent.

Again, the discourse model must now be updated. Since *it* is in a nonembedded object position, it receives a weight of 100+50+50+80=280, and is added to the current weight for the Integra.

Referent	Phrases	Value
John	$\{ John, he_1 \}$	465
Integra	{ a beautiful Acura Integra, it <sub>1</sub> }	420
dealership	{ the dealership }	115

The final noun phrase in the second sentence is *Bob*, which introduces a new discourse referent. Since it occupies an oblique argument position, it receives a weight of 100+40+50+80=270.

Referent	Phrases	Value
John	$\{ John, he_1 \}$	465
Integra	{ a beautiful Acura Integra, it <sub>1</sub> }	420
Bob	{ Bob }	270
dealership	{ the dealership }	115

Now we are ready to move on to the final sentence. We again degrade the current weights by one half.

Referent	Phrases	Value
John	$\{ John, he_1 \}$	232.5
Integra	{ a beautiful Acura Integra, it <sub>1</sub> }	210
Bob	$\{\ Bob\ \}$	135
dealership	{ the dealership }	57.5

The reader can confirm that the referent of *he* will be resolved to John, and the referent of *it* to the Integra.

The weights used by Lappin and Leass were arrived at by experimentation on a development corpus of computer training manuals. This algorithm, when combined with several filters not described here, achieved 86% accuracy when applied to unseen test data within the same genre. It is possible that these exact weights may not be optimal for other genres (and even more so for other languages), so the reader may want to experiment with these on training data for a new application or language.

In Exercise 18.7, we consider a version of the algorithm that relies only on a noun phrase identifier (see also Kennedy and Boguraev (1996)). In the next paragraphs, we briefly summarize two other approaches to pronoun resolution.

A Tree Search Algorithm Hobbs (1978) describes an algorithm for pronoun resolution which takes the syntactic representations of the sentences up to and including the current sentence as input, and performs a search for an antecedent noun phrase on these trees. There is no explicit representation of a discourse model or preferences as in the Lappin and Leass algorithm. However, certain of these preferences are approximated by the order in which the search on syntactic trees is performed.

An algorithm that searches parse trees must also specify a grammar, since the assumptions regarding the structure of syntactic trees will affect the results. A fragment for English that the algorithm uses is given in Figure 18.7. The steps of the algorithm are as follows:

- Begin at the noun phrase (NP) node immediately dominating the pronoun.
- 2. Go up the tree to the first NP or sentence (S) node encountered. Call this node X, and call the path used to reach it *p*.
- 3. Traverse all branches below node X to the left of path *p* in a left-to-right, breadth-first fashion. Propose as the antecedent any NP node that is encountered which has an NP or S node between it and X.
- 4. If node X is the highest S node in the sentence, traverse the surface parse trees of previous sentences in the text in order of recency, the

$$S o NP VP$$
 $NP o \begin{cases} (Det) & Nominal \\ pronoun \end{cases} \left( \begin{cases} PP \\ Rel \end{cases} \right)^*$ 
 $Det o \begin{cases} determiner \\ NP \ s \end{cases}$ 
 $PP o preposition NP$ 
 $Nominal o noun (PP)^*$ 
 $Rel o wh-word S$ 
 $VP o verb NP (PP)^*$ 

Figure 18.7 A grammar fragment for the Tree Search algorithm.

most recent first; each tree is traversed in a left-to-right, breadth-first manner, and when an NP node is encountered, it is proposed as antecedent. If X is not the highest S node in the sentence, continue to step 5.

- 5. From node X, go up the tree to the first NP or S node encountered. Call this new node X, and call the path traversed to reach it *p*.
- If X is an NP node and if the path p to X did not pass through the Nominal node that X immediately dominates, propose X as the antecedent.
- Traverse all branches below node X to the *left* of path p in a left-toright, breadth-first manner. Propose any NP node encountered as the antecedent.
- 8. If X is an S node, traverse all branches of node X to the *right* of path p in a left-to-right, breadth-first manner, but do not go below any NP or S node encountered. Propose any NP node encountered as the antecedent.
- 9. Go to Step 4.

Demonstrating that this algorithm yields the correct coreference assignments for example (18.68) is left as Exercise 18.3.

As stated, the algorithm depends on complete and correct syntactic structures as input. Hobbs evaluated his approach manually (with respect to both parse construction and algorithm implementation) on one hundred examples from each of three different texts, reporting an accuracy of 88.3%. (The accuracy increases to 91.7% if certain selectional restriction constraints are assumed.) Lappin and Leass encoded a version of this algorithm within their system, and reported an accuracy of 82% on their test corpus. Although

this is less than the 86% accuracy achieved by their own algorithm, it should be borne in mind that the test data Lappin and Leass used was from the same genre as their development set, but different than the genres that Hobbs used in developing his algorithm.

A Centering Algorithm As we described above, the Hobbs algorithm does not use an explicit representation of a discourse model. The Lappin and Leass algorithm does, but encodes salience as a weighted combination of preferences. Centering theory (Grosz et al., 1995, henceforth GJW), also has an explicit representation of a discourse model, and incorporates an additional claim: that there is a single entity being "centered" on at any given point in the discourse which is to be distinguished from all other entities that have been evoked.

There are two main representations tracked in the discourse model. In what follows, take  $U_n$  and  $U_{n+1}$  to be two adjacent utterances. The *backward looking center* of  $U_n$ , denoted as  $C_b(U_n)$ , represents the entity currently being focused on in the discourse after  $U_n$  is interpreted. The *forward looking centers* of  $U_n$ , denoted as  $C_f(U_n)$ , form an ordered list containing the entities mentioned in  $U_n$ , all of which could serve as the  $C_b$  of the following utterance. In fact,  $C_b(U_{n+1})$  is by definition the most highly ranked element of  $C_f(U_n)$  mentioned in  $U_{n+1}$ . (The  $C_b$  of the first utterance in a discourse is undefined.) As for how the entities in the  $C_f(U_n)$  are ordered, for simplicity's sake we can use the grammatical role hierarchy encoded by (a subset of) the weights in the Lappin and Leass algorithm, repeated below.

subject > existential predicate nominal > object > indirect object or oblique > demarcated adverbial PP

Unlike the Lappin and Leass algorithm, however, there are no numerical weights attached to the entities on the list, they are simply ordered relative to each other. As a shorthand, we will call the highest-ranked forward-looking center  $C_p$  (for "preferred center").

We describe a centering-based algorithm for pronoun interpretation due to Brennan et al. (1987, henceforth BFP). (See also Walker et al. (1994); for other centering algorithms, see Kameyama (1986) and Strube and Hahn (1996), inter alia.) In this algorithm, preferred referents of pronouns are computed from relations that hold between the forward and backward looking centers in adjacent sentences. Four intersentential relationships between a pair of utterances  $U_n$  and  $U_{n+1}$  are defined which depend on the relationship between  $C_b(U_{n+1})$ ,  $C_b(U_n)$ , and  $C_p(U_{n+1})$ ; these are shown in Figure 18.8.

This is an extended form of the hierarchy used in Brennan et al. (1987), described below.

	$C_b(U_{n+1}) = C_b(U_n)$ or undefined $C_b(U_n)$	$C_b(U_{n+1}) \neq C_b(U_n)$
$C_b(U_{n+1}) = C_p(U_{n+1})$	Continue	Smooth-Shift
$C_b(U_{n+1}) \neq C_p(U_{n+1})$	Retain	Rough-Shift

Figure 18.8 Transitions in the BFP algorithm.

The following rules are used by the algorithm:

- Rule 1: If any element of  $C_f(U_n)$  is realized by a pronoun in utterance  $U_{n+1}$ , then  $C_b(U_{n+1})$  must be realized as a pronoun also.
- Rule 2: Transition states are ordered. Continue is preferred to Retain is preferred to Smooth-Shift is preferred to Rough-Shift.

Having defined these concepts and rules, the algorithm is defined as follows.

- 1. Generate possible  $C_b$ - $C_f$  combinations for each possible set of reference assignments .
- Filter by constraints, e.g., syntactic coreference constraints, selectional restrictions, centering rules and constraints.
- Rank by transition orderings.

The pronominal referents that get assigned are those which yield the most preferred relation in Rule 2, assuming that Rule 1 and other coreference constraints (gender, number, syntactic, selectional restrictions) are not violated.

Let us step through passage (18.68), repeated below as (18.69), to illustrate the algorithm.

(18.69) John saw a beautiful Acura Integra at the dealership.  $(U_1)$  He showed it to Bob.  $(U_2)$  He bought it.  $(U_3)$ 

Using the grammatical role hierarchy to order the  $C_f$ , for sentence  $U_1$  we get:

 $C_f(U_1)$ : {John, Integra, dealership}  $C_p(U_1)$ : John

 $C_b(U_1)$ : undefined

Sentence  $U_2$  contains two pronouns: he, which is compatible with John, and it, which is compatible with the Acura or the dealership. John is by definition  $C_b(U_2)$ , because he is the highest ranked member of  $C_f(U_1)$  mentioned in  $U_2$ 

(since he is the only possible referent for he). We compare the resulting transitions for each possible referent of it. If we assume it refers to the Integra, the assignments would be:

```
C_f(U_2): {John, Integra, Bob}

C_p(U_2): John

C_b(U_2): John

Result: Continue (C_p(U_2)=C_b(U_2); C_b(U_1) undefined)
```

If we assume it refers to the dealership, the assignments would be:

```
C_f(U_2): {John, dealership, Bob}

C_p(U_2): John

C_b(U_2): John

Result: Continue (C_p(U_2)=C_b(U_2); C_b(U_1) undefined)
```

Since both possibilities result in a Continue transition, the algorithm does not say which to accept. For the sake of illustration, we will assume that ties are broken in terms of the ordering on the previous  $C_f$  list. Thus, we will take it to refer to the Integra instead of the dealership, leaving the current discourse model as represented in the first possibility above.

In sentence  $U_3$ , he is compatible with either John or Bob, whereas it is compatible with the Integra. If we assume he refers to John, then John is  $C_b(U_3)$  and the assignments would be:

```
C_f(U_3): {John, Acura}

C_p(U_3): John

C_b(U_3): John

Result: Continue (C_p(U_3)=C_b(U_3)=C_b(U_2))
```

If we assume *he* refers to Bob, then Bob is  $C_b(U_3)$  and the assignments would be:

```
C_f(U_3): {Bob, Acura}

C_p(U_3): Bob

C_b(U_3): Bob

Result: Smooth-Shift (C_p(U_3)=C_b(U_3); C_b(U_3)\neq C_b(U_2))
```

Since a Continue is preferred to a Smooth-Shift per Rule 2, John is correctly taken to be the referent.

The main salience factors that the centering algorithm implicitly incorporates include the grammatical role, recency, and repeated mention preferences. Unlike the Lappin and Leass algorithm, however, the manner in

Discourse

which the grammatical role hierarchy affects salience is indirect, since it is the resulting transition type that determines the final reference assignments. In particular, a referent in a low-ranked grammatical role will be preferred to one in a more highly ranked role if the former leads to a more highly ranked transition. Thus, the centering algorithm may (often, but not always, incorrectly) resolve a pronoun to a referent that other algorithms would consider to be of relatively low salience (Lappin and Leass, 1994; Kehler, 1997a). For

(18.70) Bob opened up a new dealership last week. John took a look at the Acuras in his lot. He ended up buying one.

instance, in example (18.70),

the centering algorithm will assign Bob as the referent of the subject pronoun he in the third sentence – since Bob is  $C_b(U_2)$ , this assignment results in a Continue relation whereas assigning John results in a Smooth-Shift relation. On the other hand, the Hobbs and Lappin/Leass algorithms will assign John as the referent.

Like the Hobbs algorithm, the centering algorithm was developed on the assumption that correct syntactic structures are available as input. In order to perform an automatic evaluation on naturally occurring data, the centering algorithm would have to be specified in greater detail, both in terms of how all noun phrases in a sentence are ordered with respect to each other on the  $C_f$  list (the current approach only includes nonembedded fillers of certain grammatical roles, generating only a partial ordering), as well as how all pronouns in a sentence can be resolved (e.g., recall the indeterminacy in resolving it in the second sentence of example (18.68)).

Walker (1989), however, performed a manual evaluation of the centering algorithm on a corpus of 281 examples distributed over texts from three genres, and compared its performance to the Hobbs algorithm. The evaluation assumed adequate syntactic representations, grammatical role labeling, and selectional restriction information as input. Furthermore, in cases in which the centering algorithm did not uniquely specify a referent, only those cases in which the Hobbs algorithm identified the *correct* one were counted as errors. With this proviso, Walker reports an accuracy of 77.6% for centering and 81.8% for Hobbs. See also Tetreault (1999) for a comparison between several centering-based algorithms and the Hobbs algorithm.

# 18.2 TEXT COHERENCE

Much of the previous section focussed on the nature of anaphoric reference and methods for resolving pronouns in discourse. Anaphoric expressions have often been called **cohesive devices** (Halliday and Hasan, 1976), since the coreference relations they establish serve to "tie" different parts of a discourse together, thus making it cohesive. While discourses often contain cohesive devices, the existence of such devices alone does not satisfy a stronger requirement that a discourse must meet, that of being *coherent*. In this section, we describe what it means for a text to be coherent, and computational mechanisms for determining coherence.

## COHESIVE

#### The Phenomenon

Assume that you have collected an arbitrary set of well-formed and independently interpretable utterances, for instance, by randomly selecting one sentence from each of the previous chapters of this book. Do you have a discourse? Almost certainly not. The reason is that these utterances, when juxtaposed, will not exhibit **coherence**. Consider, for example, the difference between passages (18.71) and (18.72).

COHERENCE

(18.71) John hid Bill's car keys. He was drunk.

(18.72) ?? John hid Bill's car keys. He likes spinach.

While most people find passage (18.71) to be rather unremarkable, they find passage (18.72) to be odd. Why is this so? Like passage (18.71), the sentences that make up passage (18.72) are well formed and readily interpretable. Something instead seems to be wrong with the fact that the sentences are juxtaposed. The hearer might ask, for instance, what hiding someone's car keys has to do with liking spinach. By asking this, the hearer is questioning the coherence of the passage.

Alternatively, the hearer might try to construct an explanation that makes it coherent, for instance, by conjecturing that perhaps someone offered John spinach in exchange for hiding Bill's car keys. In fact, if we consider a context in which we had known this already, the passage now sounds a lot better! Why is this? This conjecture allows the hearer to identify John's liking spinach as the cause of his hiding Bill's car keys, which would explain how the two sentences are connected. The very fact that hearers try to identify such connections is indicative of the need to establish coherence as part of discourse comprehension.

The possible connections between utterances in a discourse can be specified as a set of **coherence relations**. A few such relations, proposed by Hobbs (1979a), are given below. The terms  $S_0$  and  $S_1$  represent the meanings of the two sentences being related.



**Result:** Infer that the state or event asserted by  $S_0$  causes or could cause the state or event asserted by  $S_1$ .

(18.73) John bought an Acura. His father went ballistic.

**Explanation:** Infer that the state or event asserted by  $S_1$  causes or could cause the state or event asserted by  $S_0$ .

(18.74) John hid Bill's car keys. He was drunk.

**Parallel:** Infer  $p(a_1, a_2,...)$  from the assertion of  $S_0$  and  $p(b_1, b_2,...)$  from the assertion of  $S_1$ , where  $a_i$  and  $b_i$  are similar, for all i.

(18.75) John bought an Acura. Bill leased a BMW.

**Elaboration:** Infer the same proposition P from the assertions of  $S_0$  and  $S_1$ .

(18.76) John bought an Acura this weekend. He purchased a beautiful new Integra for 20 thousand dollars at Bill's dealership on Saturday afternoon.

**Occasion:** A change of state can be inferred from the assertion of  $S_0$ , whose final state can be inferred from  $S_1$ , or a change of state can be inferred from the assertion of  $S_1$ , whose initial state can be inferred from  $S_0$ .

(18.77) John bought an Acura. He drove to the ballgame.

A mechanism for identifying coherence could support a number of natural language applications, including information extraction and summarization. For example, discourses that are coherent by virtue of the Elaboration relation are often characterized by a summary sentence followed by one or more sentences adding detail to it, as in passage (18.76). Although there are two sentences describing events in this passage, the fact that we infer an Elaboration relation tells us that the same event is being described in each. A mechanism for identifying this fact could tell an information extraction or summarization system to merge the information from the sentences and produce a single event description instead of two.

## An Inference Based Resolution Algorithm

Each coherence relation described above is associated with one or more constraints that must be met for it to hold. How can we apply these constraints? To do this, we need a method for performing inference. Perhaps the most familiar type of inference is **deduction**; recall from Section 14.3 that the central rule of deduction is modus ponens:

$$\alpha \Rightarrow \beta$$
 $\alpha$ 

An example of modus ponens is the following:

All Acuras are fast.

John's car is an Acura.

John's car is fast.

Deduction is a form of sound inference: if the premises are true, then the conclusion must be true.

SOUND INFERENCE

However, much of language understanding is based on inferences that are not sound. While the ability to draw unsound inferences allows for a greater range of inferences to be made, it can also lead to false interpretations and misunderstandings. A method for such inference is logical abduction (Pierce, 1955). The central rule of abductive inference is:

ABDUCTION

$$\frac{\alpha \Rightarrow \beta}{\alpha}$$

Whereas deduction runs an implication relation forward, abduction runs it backward, reasoning from an effect to a potential cause. An example of abduction is the following:

All Acuras are fast.

John's car is fast.

John's car is an Acura.

Obviously, this may be an incorrect inference: John's car may be made by another manufacturer yet still be fast.

In general, a given effect  $\beta$  may have many potential causes  $\alpha_i$ . We generally will not want to merely reason from a fact to a *possible* explanation of it, we want to identify the *best* explanation of it. To do this, we need a method for comparing the quality of alternative abductive proofs. There are a variety of strategies one could employ for doing this. One possibility is to use a probabilistic model (Charniak and Goldman, 1988; Charniak and Shimony, 1990), although issues arise in choosing the appropriate space

over which to calculate these probabilities, and in finding a way to acquire them given the lack of a corpus of events. Another method is to use a purely heuristic strategy (Charniak and McDermott, 1985, Chapter 10), such as preferring the explanation with the smallest number of assumptions, or choosing the explanation that uses the most specific characteristics of the input. While such heuristics may be easy to implement, they generally prove to be too brittle and limiting. Finally, a more general cost-based strategy can be used which combines features (both positive and negative) of the probabilistic and heuristic approaches. The approach to abductive interpretation we illustrate here, due to Hobbs et al. (1993), uses such a strategy. To simplify the discussion, however, we will largely ignore the cost component of the system, keeping in mind that one is nonetheless necessary.

Hobbs et al. (1993) apply their method to a broad range of problems in language interpretation; here we focus on its use in establishing discourse coherence, in which world and domain knowledge are used to determine the most plausible coherence relation holding between utterances. Let us step through the analysis that leads to establishing the coherence of passage (18.71). First, we need axioms about coherence relations themselves. Axiom (18.78) states that a possible coherence relation is the Explanation relation; other relations would have analogous axioms.

$$(18.78) \qquad \forall e_i, e_i \, Explanation(e_i, e_i) \Rightarrow CoherenceRel(e_i, e_i)$$

The variables  $e_i$  and  $e_j$  represent the events (or states) denoted by the two utterances being related In this axiom and those given below, quantifiers always scope over everything to their right. This axiom tells us that, given that we need to establish a coherence relation between two events, one possibility is to abductively assume that the relation is Explanation.

The Explanation relation requires that the second utterance express the cause of the effect that the first sentence expresses. We can state this as axiom (18.79).

$$(18.79) \forall e_i, e_i \ cause(e_i, e_i) \Rightarrow Explanation(e_i, e_i)$$

In addition to axioms about coherence relations, we also need axioms representing general knowledge about the world. The first axiom we use says that if someone is drunk, then others will not want that person to drive, and that the former causes the latter (for convenience, the state of not wanting is denoted by the *diswant* predicate).

(18.80) 
$$\forall x, y, e_i \ drunk(e_i, x) \Rightarrow \\ \exists e_i, e_k \ diswant(e_i, y, e_k) \land drive(e_k, x) \land cause(e_i, e_j)$$

Section 18.2. Text Coherence

Before we move on, a few notes are in order concerning this axiom and the others we will present. First, axiom (18.80) is stated using universal quantifiers to bind several of the variables, which essentially says that in all cases in which someone is drunk, all people do not want that person to drive. Although we might hope that this is generally the case, such a statement is nonetheless too strong. The way in which this is handled in the Hobbs et al. system is by including an additional relation, called an *etc* predicate, in the antecedent of such axioms. An *etc* predicate represents all the other properties that must be true for the axiom to apply, but which are too vague to state explicitly. These predicates therefore cannot be proven, they can only be assumed at a corresponding cost. Because rules with high assumption costs will be dispreferred to ones with low costs, the likelihood that the rule applies can be encoded in terms of this cost. Since we have chosen to simplify our discussion by ignoring costs, we will similarly ignore the use of *etc* predicates.

Second, each predicate has what may look like an "extra" variable in the first argument position; for instance, the *drive* predicate has two arguments instead of one. This variable is used to reify the relationship denoted by the predicate so that it can be referred to from argument places in other predicates. For instance, reifying the *drive* predicate with the variable  $e_k$  allows us to express the idea of not wanting someone to drive by referring to it in the final argument of the *diswant* predicate.

Picking up where we left off, the second world knowledge axiom we use says that if someone does not want someone else to drive, then they do not want this person to have his car keys, since car keys enable someone to drive.

(18.81) 
$$\forall x, y, e_j, e_k \ diswant(e_j, y, e_k) \land drive(e_k, x) \Rightarrow \\ \exists z, e_l, e_m \ diswant(e_l, y, e_m) \land have(e_m, x, z) \\ \land carkeys(z, x) \land cause(e_i, e_l)$$

The third axiom says that if someone doesn't want someone else to have something, he might hide it from him.

(18.82) 
$$\forall x, y, z, e_i, e_j \ diswant(e_l, y, e_m) \land have(e_m, x, z) \Rightarrow \\ \exists e_n \ hide(e_n, y, x, z) \land cause(e_l, e_n)$$

The final axiom says simply that causality is transitive, that is, if  $e_i$  causes  $e_j$  and  $e_j$  causes  $e_k$ , then  $e_i$  causes  $e_k$ .

$$(18.83) \forall e_i, e_j, e_k \ cause(e_i, e_j) \land cause(e_j, e_k) \Rightarrow cause(e_i, e_k)$$

Finally, we have the content of the utterances themselves, that is, that John hid Bill's car keys (from Bill),

(18.84) 
$$hide(e_1, John, Bill, ck) \wedge carkeys(ck, Bill)$$

and that someone described using the pronoun "he" was drunk; we will represent the pronoun with the free variable he.

$$(18.85)$$
 drunk $(e_2,he)$ 

We can now see how reasoning with the content of the utterances along with the aforementioned axioms allows the coherence of passage (18.71) to be established under the Explanation relation. The derivation is summarized in Figure 18.9; the sentence interpretations are shown in boxes. We start by assuming there is a coherence relation, and using axiom (18.78) hypothesize that this relation is Explanation,

(18.86) 
$$Explanation(e_1, e_2)$$

which, by axiom (18.79), means we hypothesize that

(18.87) 
$$cause(e_2, e_1)$$

holds. By axiom (18.83), we can hypothesize that there is an intermediate cause  $e_3$ ,

(18.88) 
$$cause(e_2, e_3) \wedge cause(e_3, e_1)$$

and we can repeat this again by expanding the first conjunct of (18.88) to have an intermediate cause  $e_4$ .

(18.89) 
$$cause(e_2, e_4) \wedge cause(e_4, e_3)$$

We can take the *hide* predicate from the interpretation of the first sentence in (18.84) and the second *cause* predicate in (18.88), and, using axiom (18.82), hypothesize that John did not want Bill to have his car keys:

(18.90) 
$$diswant(e_3, John, e_5) \wedge have(e_5, Bill, ck)$$

From this, the *carkeys* predicate from (18.84), and the second *cause* predicate from (18.89), we can use axiom (18.81) to hypothesize that John does not want Bill to drive:


(18.91) 
$$diswant(e_4, John, e_6) \land drive(e_6, Bill)$$

From this, axiom (18.80), and the second *cause* predicate from (18.89), we can hypothesize that Bill was drunk:

(18.92) 
$$drunk(e_2, Bill)$$

Section 18.2. Text Coherence 701

But now we find that we can "prove" this fact from the interpretation of the second sentence if we simply assume that the free variable he is bound to Bill. Thus, the establishment of coherence has gone through, as we have identified a chain of reasoning between the sentence interpretations – one that includes unprovable assumptions about axiom choice and pronoun assignment – that results in  $cause(e_2, e_1)$ , as required for establishing the Explanation relationship.



This derivation illustrates a powerful property of coherence establishment, namely its ability to cause the hearer to infer information about the situation described by the discourse that the speaker has left unsaid. In this case, the derivation required the assumption that John hid Bill's keys because he did not want him to drive (presumably out of fear of him having an accident, or getting stopped by the police), as opposed to some other explanation, such as playing a practical joke on him. This cause is not stated anywhere in passage (18.71); it arises only from the inference process triggered by the need to establish coherence. In this sense, the meaning of a discourse is greater than the sum of the meanings of its parts. That is, a discourse typically communicates far more information than is contained in the interpretations of the individual sentences that comprise it.

We now return to passage (18.72), repeated below as (18.94), which was notable in that it lacks the coherence displayed by passage (18.71), repeated below as (18.93).

(18.93) John hid Bill's car keys. He was drunk.

Discourse

(18.94) ?? John hid Bill's car keys. He likes spinach.

We can now see why this is: there is no analogous chain of inference capable of linking the two utterance representations, in particular, there is no causal axiom analogous to (18.80) that says that liking spinach might cause someone to not want you to drive. Without additional information that can support such a chain of inference (such as the aforementioned scenario in which someone promised John spinach in exchange for hiding Bill's car keys), the coherence of the passage cannot be established.

Because abduction is a form of unsound inference, it must be possible to subsequently retract the assumptions made during abductive reasoning. that is, abductive inferences are defeasible. For instance, if passage (18.93) was followed by sentence (18.95),

(18.95) Bill's car isn't here anyway; John was just playing a practical joke on him.

the system would have to retract the original chain of inference connecting the two clauses in (18.93), and replace it with one utilizing the fact that the hiding event was part of a practical joke.

In a more general knowledge base designed to support a broad range of inferences, one would want axioms that are more general than those we used to establish the coherence of passage (18.93). For instance, consider axiom (18.81), which says that if you do not want someone to drive, then you do not want them to have their car keys. A more general form of the axiom would say that if you do not want someone to perform an action, and an object enables them to perform that action, then you do not want them to have the object. The fact that car keys enable someone to drive would then be encoded separately, along with many other similar facts. Likewise, axiom (18.80) says that if someone is drunk, you don't want them to drive. We might replace this with an axiom that says that if someone does not want something to happen, then they don't want something that will likely cause it to happen. Again, the facts that people typically don't want other people to get into car accidents, and that drunk driving causes accidents, would be encoded separately.

While it is important to have computational models that shed light on the coherence establishment problem, large barriers remain for employing this and similar methods on a wide-coverage basis. In particular, the large number of axioms that would be required to encode all of the necessary facts about the world, and the lack of a robust mechanism for constraining inference with such a large set of axioms, makes these methods largely im-

DEFEASIBLE

practical in practice. Such problems have come to be informally known as **AI-complete**, a play on the term *NP-complete* in computer science. An AI-complete problem is one that essentially requires all of the knowledge – and abilities to utilize it – that humans have.

AI-COMPLETE

Other approaches to analyzing the coherence structure of a discourse have also been proposed. One that has received broad usage is Rhetorical Structure Theory (RST) (Mann and Thompson, 1987), which proposes a set of 23 *rhetorical relations* that can hold between spans of text within a discourse. While RST is oriented more toward text description than interpretation, it has proven to be a useful tool for developing natural language generation systems. RST is described in more detail in Section 20.4.

**Coherence and Coreference** The reader may have noticed another interesting property of the proof that passage (18.93) is coherent. While the pronoun *he* was initially represented as a free variable, it got bound to Bill during the derivation. In essence, a separate procedure for resolving the pronoun was not necessary; it happened as a side effect of the coherence establishment procedure. In addition to the tree-search algorithm presented on page 689, Hobbs (1978) proposes this use of the coherence establishment mechanism as a second approach to pronoun interpretation.

This approach provides an explanation for why the pronoun in passage (18.93) is most naturally interpreted as referring to Bill, but the pronoun in passage (18.96) is most naturally interpreted as referring to John.

(18.96) John lost Bill's car keys. He was drunk.

Establishing the coherence of passage (18.96) under the Explanation relation requires an axiom that says that being drunk could cause someone to lose something. Because such an axiom will dictate that the person who is drunk must be the same as the person losing something, the free variable representing the pronoun will become bound to John. The only lexico-syntactic difference between passages (18.96) and (18.93), however, is the verb of the first sentence. The grammatical positions of the pronoun and potential antecedent noun phrases are the same in both cases, so syntactically-based preferences do not distinguish between these.

**Discourse Connectives** Sometimes a speaker will include a specific cue, called a **connective**, that serves to constrain the set of coherence relations that can hold between two or more utterances. For example, the connective *because* indicates the Explanation relationship explicitly, as in passage (18.97).

CONNECTIVE

(18.97) John hid Bill's car keys because he was drunk.

The meaning of *because* can be represented as  $cause(e_2, e_1)$ , which would play a similar role in the proof as the *cause* predicate that was introduced abductively via axiom (18.79).

However, connectives do not always constrain the possibilities to a single coherence relation. The meaning of *and*, for instance, is compatible with the Parallel, Occasion, and Result relations introduced on page 696, as exemplified in (18.98)–(18.100) respectively.

(18.98) John bought an Acura and Bill leased a BMW.

(18.99) John bought an Acura and drove to the ballgame.

(18.100) John bought an Acura and his father went ballistic.

However, and is not compatible with the Explanation relation; unlike passage (18.97), passage (18.101) cannot mean the same thing as (18.93).

(18.101) John hid Bill's car keys and he was drunk.

While the coherence resolution procedure can use connectives to constrain the range of coherence relations that can be inferred between a pair of utterances, they in and of themselves do not *create* coherence. Any coherence relation indicated by a connective must still be established. Therefore, adding *because* to example (18.94), for instance, still does not make it coherent.

(18.102) ?? John hid Bill's car keys because he likes spinach.

Coherence establishment fails here for the same reason it does in example (18.72), that is, the lack of causal knowledge explaining how liking spinach would cause one to hide someone's car keys.

## 18.3 DISCOURSE STRUCTURE

In the previous section, we saw how the coherence of a pair of sentences can be established. We now ask how coherence can be established for longer discourses. Does one simply establish coherence relations between all adjacent pairs of sentences?

It turns out that the answer is no. Just as sentences have hierarchical structure (that is, syntax), so do discourses. Consider passage (18.103).


(18.103) John went to the bank to deposit his paycheck. (S1) He then took a train to Bill's car dealership. (S2)

He needed to buy a car. (\$3)

The company he works for now isn't near any public transportation. (S4)

He also wanted to talk to Bill about their softball league. (S5)

Intuitively, the structure of passage (18.103) is not linear. The discourse seems to be primarily about the sequence of events described in sentences S1 and S2, whereas sentences S3 and S5 are related most directly to S2, and S4 is related most directly to S3. The coherence relationships between these sentences result in the discourse structure shown in Figure 18.10.



Each node in the tree represents a group of locally coherent utterances, called a discourse segment. Roughly speaking, one can think of discourse segments as being analogous to constituents in sentence syntax.

DISCOURSE SEGMENT

We can extend the set of discourse interpretation axioms used in the last section to establish the coherence of larger, hierarchical discourses such as (18.103). The recognition of discourse segments, and ultimately discourse structure, results as a by-product of this process.

First, we add axiom (18.104), which states that a sentence is a discourse segment. Here, w is the string of words in the sentence, and e the event or state described by it.

(18.104) 
$$\forall w, e \ sentence(w, e) \Rightarrow Segment(w, e)$$

Next, we add axiom (18.105), which says that two smaller segments can be composed into a larger one if a coherence relation can be established between the two.

(18.105) 
$$\forall w_1, w_2, e_1, e_2, e \; Segment(w_1, e_1) \land Segment(w_2, e_2)$$
 
$$\land CoherenceRel(e_1, e_2, e) \Rightarrow Segment(w_1, e_2)$$

Note that extending our axioms for longer discourses has necessitated that we add a third argument to the *CoherenceRel* predicate (e). The value of this variable will be a combination of the information expressed by  $e_1$  and  $e_2$  that represents the main assertion of the resulting segment. For our purposes here, we will assume that **subordinating relations** such as Explanation pass along only one argument (in this case the first, that is, the effect), whereas **coordinating relations** such as Parallel and Occasion pass a combination of both arguments. These arguments are shown in parentheses next to each relation in Figure 18.10.

Now, to interpret a coherent text W, one must simply prove that it is a segment, as expressed by statement (18.106).

 $(18.106) \qquad \exists e \ Segment(W, e)$ 

These rules will derive any possible binary branching segmental structure for a discourse, as long as that structure can be supported by the establishment of coherence relations between the segments. Herein lies a difference between computing the syntactic structure of a sentence (see Chapter 9) and that of a discourse. Sentence-level grammars are generally complex, encoding many syntactic facts about how different constituents (noun phrases, verb phrases) can modify in each other and in what order. The "discourse grammar" above, on the contrary, is much simpler, encoding only two rules: a segment rewrites to two smaller segments, and a sentence is a segment. Which of the possible structures is actually assigned depends on how the coherence of the passage is established.

Why would we want to compute discourse structure? Several applications could benefit from it. A summarization system, for instance, might use it to select only the central sentences in the discourse, forgoing the inclusion of subordinate information. For instance, a system for creating brief summaries might only include sentences S1 and S2 when applied to passage (18.103), since the event representations for these were propagated to the top level node. A system for creating more detailed summaries might also include S3 and S5. Similarly, an information retrieval system might weight information in sentences that are propagated to higher-level parts of the discourse structure more heavily than information in ones that are not, and generation systems need knowledge of discourse structure to create coherent discourse, as described in Chapter 20.

Discourse structure may also be useful for natural language subtasks such as pronoun resolution. We already know from Section 18.1 that pronouns display a preference for recency, that is, they have a strong tendency

SUBORDINATING RELATIONS

COORDINATING RELATIONS to refer locally. But now we have two possible definitions for recency: recent in terms of the linear order of the discourse, or recent in terms of its hierarchical structure. It has been claimed that the latter definition is in fact the correct one, although admittedly the facts are not completely clear in all cases.

In this section, we have briefly described one of several possible approaches to recovering discourse structure. A different approach, one typically applied to dialogues, will be described in Section 19.4.

## 18.4 PSYCHOLINGUISTIC STUDIES OF REFERENCE AND COHERENCE

To what extent do the techniques described in this chapter model human discourse comprehension? A substantial body of psycholinguistic research has studied this question.

For instance, a significant amount of work has been concerned with the extent to which people use the preferences described in Section 18.1 to interpret pronouns, the results of which are often contradictory. Clark and Sengal (1979) studied the effects that sentence recency plays in pronoun interpretation using a set of reading time experiments. After receiving and acknowledging a three sentence context to read, human subjects were given a target sentence containing a pronoun. The subjects pressed a button when they felt that they understood the target sentence. Clark and Sengal found that the reading time was significantly faster when the referent for the pronoun was evoked from the most recent clause in the context than when it was evoked from two or three clauses back. On the other hand, there was no significant difference between referents evoked from two clauses and three clauses back, leading them to claim that "the last clause processed grants the entities it mentions a privileged place in working memory".

Crawley et al. (1990) compared the grammatical role parallelism preference with a grammatical role preference, in particular, a preference for referents evoked from the subject position of the previous sentence over those evoked from object position. Unlike previous studies which conflated these preferences by considering only subject-to-subject reference effects, Crawley et al. studied pronouns in object position to see if they tended to be assigned to the subject or object of the last sentence. They found that in two task environments – a question answering task which revealed how the hu-

READING TIME EXPERIMENTS



REFERENT NAMING TASK man subjects interpreted the pronoun, and a **referent naming task** in which the subjects identified the referent of the pronoun directly – the human subjects resolved pronouns to the subject of the previous sentence more often than the object.

However, Smyth (1994) criticized the adequacy of Crawley et al.'s data for evaluating the role of parallelism. Using data that met more stringent requirements for assessing parallelism, Smyth found that subjects overwhelmingly followed the parallelism preference in a referent naming task. The experiment supplied weaker support for the preference for subject referents over object referents, which he posited as a default strategy when the sentences in question are not sufficiently parallel.

Caramazza et al. (1977) studied the effect of the "implicit causality" of verbs on pronoun resolution. Verbs were categorized in terms of having subject bias or object bias using a **sentence completion task**. Subjects were given sentence fragments such as (18.107).

(18.107) John telephoned Bill because he

The subjects provided completions to the sentences, which identified to the experimenters what referent for the pronoun they favored. Verbs for which a large percentage of human subjects indicated a grammatical subject or object preference were categorized as having that bias. A sentence pair was then constructed for each biased verb: a "congruent" sentence in which the semantics supported the pronoun assignment suggested by the verb's bias, and an "incongruent" sentence in which the semantics supported the opposite prediction. For example, sentence (18.108) is congruent for the subject-bias verb "telephoned", since the semantics of the second clause supports assigning the subject *John* as the antecedent of *he*, whereas sentence (18.109) is incongruent since the semantics supports assigning the object *Bill*.

(18.108) John telephoned Bill because he wanted some information.

(18.109) John telephoned Bill because he withheld some information.

In a referent naming task, Caramazza et al. found that naming times were faster for the congruent sentences than for the incongruent ones. Perhaps surprisingly, this was even true for cases in which the two people mentioned in the first clause were of different genders, thus rendering the reference unambiguous.

Garnham et al. (1996) differentiated between two hypotheses about the manner in which implicit causality might affect pronoun resolution: the focus hypothesis, which says, as might be suggested by the Caramazza et al.



experiments, that such verbs have a priming effect on the filler of a particular grammatical role and thus contribute information that can be used at the point at which the pronoun is interpreted, and the integration hypothesis, in which this information is only used after the clause has been comprehended and is being integrated with the previous discourse. They attempted to determine which hypothesis is correct using a probing task. After sentences were presented to establish a context, a sentence containing a pronoun was presented one word at a time. At appropriate points during the presentation, the name of one of the possible referents was displayed, and the subject asked whether that person had been mentioned in the sentence so far. Garnham et al. found that the implicit causality information bias was generally not available right after the pronoun was given, but was utilized later in the sentence.

INTEGRATION

PROBING TASK

Matthews and Chodorow (1988) analyzed the problem of intrasentential reference and the predictions of syntactically-based search strategies. In a question answering task, they found that subjects exhibited slower comprehension times for sentences in which a pronoun antecedent occupied an early, syntactically deep position than for sentences in which the antecedent occupied a late, syntactically shallow position. This result is consistent with the search process used in Hobbs's tree search algorithm.

There has also been psycholinguistic work concerned with testing the principles of centering theory. In a set of reading time experiments, Gordon et al. (1993) found that reading times were slower when the current backward-looking center was referred to using a full noun phrase instead of a pronoun, even though the pronouns were ambiguous and the proper names were not. This effect – which they called a **repeated name penalty** – was found only for referents in subject position, suggesting that the  $C_b$  is preferentially realized as a subject. Brennan (1995) analyzed how choice of linguistic form correlates with centering principles. She ran a set of experiments in which a human subject watched a basketball game and had to describe it to a second person. She found that the human subjects tended to refer to an entity using a full noun phrase in subject position before subsequently pronominalizing it, even if the referent had already been introduced in object position.

REPEATED NAME PENALTY

Psycholinguistic studies have also addressed the processes people use to establish discourse coherence. Some of this work has focussed on the question of inference control, that is, which of the potentially infinite number of possible inferences are actually made during interpretation (Singer, 1994; Garrod and Sanford, 1994). These can be categorized in terms of be-

INFERENCE CONTROL INFERENCES ELABORATIVE INFERENCES ing necessary inferences, those which are necessary to establish coherence, and elaborative inferences, those which are suggested by the text but not necessary for establishing coherence. The position that only necessary inferences are made during interpretation has been called the *deferred inference* theory (Garnham, 1985) and the minimalist position (McKoon and Ratcliff, 1992). As with pronoun interpretation, results of studies testing these questions have yielded potentially contradictory results. Indeed, the results in each case depend to a large degree on the experimental setup and paradigm (Keenan et al., 1990).

RECOGNITION JUDGEMENT TASK Johnson et al. (1973), for instance, examined this question using a recognition judgement task. They presented subjects with passages such as (18.110).

(18.110) When the man entered the kitchen he slipped on a wet spot and dropped the delicate glass pitcher on the floor. The pitcher was very expensive, and everyone watched the event with horror.

The subjects were subsequently presented either with a sentence taken directly from one of the passages, such as the first sentence of (18.110), or one that included an elaborative inference in the form of an expected consequence such as (18.111).

(18.111) The man broke the delicate glass pitcher on the floor.

The subjects were then asked if the sentence had appeared verbatim in one of the passages. Both types of sentence received a recognition rate in the mid-60% range, whereas control sentences that substantially altered the meaning were recognized much less often (about 22%). By running a similar experiment that also measured subjects' response times, Singer (1979) addressed the question of whether these inferences were made at the time the original sentence was comprehended (and thus truly elaborative), or at the time that the expected consequence version was presented. While Singer also found that the identical and expected consequence versions yield similar rates of positive responses, the judgements about the consequence versions took 0.2-0.3 seconds longer than for the identical sentences, suggesting that the inference was not made at comprehension time.

Singer (1980) examined the question of when different types of inferences were made using passages such as (18.112)-(18.114).

- (18.112) The dentist pulled the tooth painlessly. The patient liked the new method.
- (18.113) The tooth was pulled painlessly. The dentist used a new method.
- (18.114) The tooth was pulled painlessly. The patient liked the new method.

Each of these passages was presented to the subject, followed by the test sentence given in (18.115).

(18.115) A dentist pulled the tooth.

The information expressed in (18.115) is mentioned explicitly in (18.112), is necessary to establish coherence in (18.113), and is elaborative in (18.114). Singer found that subject verification times were approximately the same in the first two cases, but 0.25 seconds slower in the elaborative case, adding support to the deferred inference theory.

Kintsch and colleagues have proposed and analyzed a "constructionintegration" model of discourse comprehension (Kintsch and van Dijk, 1978; van Dijk and Kintsch, 1983; Kintsch, 1988). They defined the concept of a text macrostructure, which is a hierarchical network of propositions that provides an abstract, semantic description of the global content of the text. Guindon and Kintsch (1984) evaluated whether the elaborative inferences necessary to construct the macrostructure accompany comprehension processes, using a lexical priming technique. Subjects read a passage and then were asked if a particular word pair was present in the text. Three types of word pairs were used: pairs that were not mentioned in the text but were related to the text macrostructure, pairs of "distractor words" that were thematically related to the text but not the macrostructure, and pairs of thematically unrelated distractor words. The number of "false alarms" - in which a subject erroneously indicated that the words appeared in the text - was significantly higher for macrostructure pairs than for thematically related pairs, which in turn was higher than for pairs of thematically unrelated words. In the remaining cases - in which the subjects correctly rejected word pairs that did not appear - response times were significantly longer for macrostructure words than thematically related pairs, which in turn were higher than for thematically unrelated words.

Myers et al. (1987) considered the question of how the degree of causal relatedness between sentences affects comprehension times and recall accuracy. Considering a target sentence such as (18.116),

(18.116) She found herself too frightened to move.

they designed four context sentences, shown in (18.117)–(18.120), which form a continuum moving from high to low causal relatedness to (18.116).

- (18.117) Rose was attacked by a man in her apartment.
- (18.118) Rose saw a shadow at the end of the hall.
- (18.119) Rose entered her apartment to find a mess.
- (18.120) Rose came back to her apartment after work.

TEXT MACROSTRUCTURE

LEXICAL PRIMING Subjects were presented with cause-effect sentence pairs consisting of a context sentence and the target sentence. Myers et al. found that reading times were faster for more causally related pairs. After the subjects had seen a number of such pairs, Myers et al. then ran a **cued recall** experiment, in which the subjects were given one sentence from a pair and asked to recall as much as possible about the other sentence in the pair. They found that the subjects recalled more content for more causally related sentence pairs.

CUED RECALL

## 18.5 SUMMARY

In this chapter, we saw that many of the problems that natural language processing systems face operate between sentences, that is, at the *discourse* level. Here is a summary of some of the main points we discussed:

- Discourse interpretation requires that one build an evolving representation of discourse state, called a discourse model, that contains representations of the entities that have been referred to and the relationships in which they participate.
- Natural languages offer many ways to refer to entities. Each form of reference sends its own signals to the hearer about how it should be processed with respect to her discourse model and set of beliefs about the world.
- Pronominal reference can be used for referents that have an adequate degree of salience in the discourse model. There are a variety of lexical, syntactic, semantic, and discourse factors that appear to affect salience.
- These factors can be modeled and weighed against each other in a pronoun interpretation algorithm, due to Lappin and Leass (1994), that achieves performance in the mid-80% range on some genres.
- Discourses are not arbitrary collections of sentences; they must be coherent. Collections of well-formed and individually interpretable sentences often form incoherent discourses when juxtaposed.
- The process of establishing coherence, performed by applying the constraints imposed by one or more coherence relations, often leads to the inference of additional information left unsaid by the speaker. The unsound rule of logical abduction can be used for performing such inference.
- Discourses, like sentences, have hierarchical structure. Intermediate groups of locally coherent utterances are called discourse segments.
   Discourse structure recognition can be viewed as a by-product of discourse interpretation.

Section 18.5. Summary 713

## BIBLIOGRAPHICAL AND HISTORICAL NOTES

Building on the foundations set by early systems for natural language understanding (Woods et al., 1972; Winograd, 1972b; Woods, 1978), much of the fundamental work in computational approaches to discourse was performed in the late 70's. Webber's (1978, 1983) work provided fundamental insights into how entities are represented in the discourse model and the ways in which they can license subsequent reference. Many of the examples she provided continue to challenge theories of reference to this day. Grosz (1977a) addressed the focus of attention that conversational participants maintain as the discourse unfolds. She defined two levels of focus; entities relevant to the entire discourse were said to be in global focus, whereas entities that are locally in focus (i.e., most central to a particular utterance) were said to be in immediate focus. Sidner (1979, 1983) described a method for tracking (immediate) discourse foci and their use in resolving pronouns and demonstrative noun phrases. She made a distinction between the current discourse focus and potential foci, which are the predecessors to the backward and forward looking centers of centering theory respectively.

The roots of the centering approach originate from papers by Joshi and Kuhn (1979) and Joshi and Weinstein (1981), who addressed the relationship between immediate focus and the inferences required to integrate the current utterance into the discourse model. Grosz et al. (1983) integrated this work with the prior work of Sidner and Grosz. This led to a manuscript on centering which, while widely circulated since 1986, remained unpublished until Grosz et al. (1995). A series of papers on centering based on this manuscript/paper were subsequently published (Kameyama, 1986; Brennan et al., 1987; Di Eugenio, 1990; Walker et al., 1994; Di Eugenio, 1996; Strube and Hahn, 1996; Kehler, 1997a, inter alia). A collection of more recent centering papers appears in Walker et al. (1998).

Researchers in the linguistics community have proposed accounts of the *information status* that referents hold in a discourse model (Chafe, 1976; Prince, 1981; Ariel, 1990; Prince, 1992; Gundel et al., 1993; Lambrecht, 1994, inter alia). Prince (1992), for instance, analyzes information status in terms of two crosscutting dichotomies: *hearer status* and *discourse status*, and shows how these statuses correlate with the grammatical position of referring expressions. Gundel et al. (1993), on the other hand, posits a unidimensional scale with six statuses (called the *givenness hierarchy*), and correlates them with the linguistic form of referring expressions.

Discourse

Beginning with Hobbs's (1978) tree-search algorithm, researchers have pursued syntax-based methods for identifying reference robustly in naturally occurring text. Building on the work of Lappin and Leass (1994), Kennedy and Boguraev (1996) describe a similar system that does not rely on a full syntactic parser, but merely a mechanism for identifying noun phrases and labeling their grammatical roles. Both approaches use Alshawi's (1987) framework for integrating salience factors. An algorithm that uses this framework for resolving references in a multimodal (i.e., speech and gesture) human-computer interface is described in Huls et al. (1995). A discussion of a variety of approaches to reference in operational systems can be found in Mitkov and Boguraev (1997).

Recently, several researchers have pursued methods for reference resolution based on supervised learning (Connolly et al., 1994; Aone and Bennett, 1995; McCarthy and Lehnert, 1995; Kehler, 1997b; Ge et al., 1998, inter alia). In these studies, machine learning methods such as Bayesian model induction, decision trees, and maximum entropy modeling were used to train models from corpora annotated with coreference relations. A discussion of some issues that arise in annotating corpora for coreference can be found in Poesio and Vieira (1998).

The MUC-6 information extraction evaluation included a common evaluation on coreference (Sundheim, 1995a). The task included coreference between proper names, aliases, definite noun phrases, bare nouns, pronouns, and even coreference indicated by syntactic relations such predicate nominals ("The Integra is the world's nicest looking car") and appositives ("the Integra, the world's nicest looking car,"). Performance was evaluated by calculating recall and precision statistics based on the distance between the equivalence classes of coreferent descriptions produced by a system and those in a human-annotated answer key. Five of the seven sites which participated in the evaluation achieved in the range of 51%-63% recall and 62%-72% precision. A similar evaluation was also included as part of MUC-7.

Several researchers have posited sets of coherence relations that can hold between utterances in a discourse (Halliday and Hasan, 1976; Hobbs, 1979a; Longacre, 1983; Mann and Thompson, 1987; Polanyi, 1988; Hobbs, 1990; Sanders et al., 1992, inter alia). A compendium of over 350 relations that have been proposed in the literature can be found in Hovy (1990). The Linguistic Discourse Model (Polanyi, 1988; Scha and Polanyi, 1988) is a framework in which discourse syntax is more heavily emphasized; in this approach, a discourse parse tree is built on a clause-by-clause basis in direct analogy with how a sentence parse tree is built on a constituent-by-constituent basis. A more recent line of work has applied a version of the

tree-adjoining grammar formalism to discourse parsing (Webber et al., 1999, and citations therein). In addition to determining discourse structure and meaning, theories of discourse coherence have been used in algorithms for interpreting discourse-level linguistic phenomena, including pronoun resolution (Hobbs, 1979a; Kehler, 2000), verb phrase ellipsis and gapping (Prüst, 1992; Asher, 1993; Kehler, 1993, 1994a), and tense interpretation (Lascarides and Asher, 1993; Kehler, 1994b, 2000). An extensive investigation into the relationship between coherence relations and discourse connectives can be found in Knott and Dale (1994).

## EXERCISES

18.1 Early work in syntactic theory attempted to characterize rules for pronominalization through purely syntactic means. A rule was proposed in which a pronoun was interpreted by deleting it from the syntactic structure of the sentence that contains it, and replacing it with the syntactic representation of the antecedent noun phrase.

Explain why the following sentences (called "Bach-Peters" sentences) are problematic for such an analysis:

- (18.121) The man who deserves it gets the prize he wants.
- (18.122) The pilot who shot at it hit the MIG that chased him.

What other types of reference discussed on pages 673–678 are problematic for this type of analysis?

Now, consider the following example (Karttunen, 1969):

(18.123) The student who revised his paper did better than the student who handed it in as is.

What is the preferred reading for the pronoun *it*, and why is it different and interesting? Describe why the syntactic account described above can be seen to predict this reading. Is this type of reading common? Construct some superficially similar examples that nonetheless appear not to have a similar reading.

- **18.2** Webber (1978) offers examples in which the same referent appears to support either singular or plural agreement:
- (18.124) John gave Mary five dollars. It was more than he gave Sue.
- (18.125) John gave Mary five dollars. One of them was counterfeit.

What might account for this? Describe how representations of referents like *five dollars* in the discourse model could be made to allow such behavior.

Next, consider the following examples (from Webber and Baldwin (1992)):

- (18.126) John made a handbag from an inner tube.
  - a. He sold it for twenty dollars.
  - b. He had taken it from his brother's car.
  - c. Neither of them was particularly useful.
  - d. \* He sold them for fifty dollars.

Why is plural reference to the handbag and the inner tube possible in sentence (18.126c), but not (18.126d)? Again, discuss how representations in the discourse model could be made to support this behavior.

- 18.3 Draw syntactic trees for example (18.68) on page 687 and apply Hobbs's tree search algorithm to it, showing each step in the search.
- 18.4 Recall that Hobbs's algorithm does not have an explicit representation of a discourse model, salience, or preferences. Discuss which of the preferences we have described are approximated by the search process over syntactic representations as Hobbs has defined it, and how.
- **18.5** Hobbs (1977) cites the following examples from his corpus as being problematic for his tree-search algorithm:
- (18.127) The positions of pillars in one hall were marked by river boulders and a shaped convex cushion of bronze that had served as <u>their</u> footings.
- (18.128) They were at once assigned an important place among the scanty remains which record the physical developments of the human race from the time of its first appearance in Asia.
- (18.129) Sites at which the coarse grey pottery of the Shang period has been discovered do not extend far beyond the southernmost reach of the Yellow river, or westward beyond its junction with the Wei.
- (18.130) The thin, hard, black-burnished pottery, made in shapes of angular profile, which archeologists consider as the clearest hallmark of the Lung Shan culture, developed in the east. The site from which it takes its name is in Shantung. It is traced to the north-east as far as Liao-ning province.
- (18.131) He had the duty of performing the national sacrifices to heaven and earth: his role as source of honours and material rewards for services rendered by feudal lords and ministers is commemorated

in thousands of inscriptions made by the recipients on bronze vessels which were eventually deposited in their graves.

In each case, identify the correct referent of the underlined pronoun and the one that the algorithm will identify incorrectly. Discuss any factors that come into play in determining the correct referent in each case, and what types of information might be necessary to account for them.

18.6 Consider the following passage, from Brennan et al. (1987):

(18.132) Brennan drives an Alfa Romeo.

She drives too fast.

Friedman races her on weekends.

She goes to Laguna Seca.

Identify the referent that the BFP algorithm finds for the pronoun in the final sentence. Do you agree with this choice, or do you find the example ambiguous? Discuss why introducing a new noun phrase in subject position, with a pronominalized reference in object position, might lead to an ambiguity for a subject pronoun in the next sentence. What preferences are competing here?

18.7 The approaches to pronoun resolution discussed in this chapter depend on accurate parsing: Hobbs's tree search algorithm assumes a full syntactic tree, and Lappin and Leass's algorithm and centering requires that grammatical roles are assigned correctly. Given the current state of the art in syntactic processing, highly accurate syntactic structures are currently not reliably computable. Therefore, real-world algorithms must choose between one of two options: (1) use a parser to generate (often inaccurate) syntactic analyses and use them as such, or (2) to eschew full syntactic analysis altogether and base the algorithm on partial syntactic analysis, such as noun phrase recognition. The Lappin and Leass system took the first option, using a highly developed parser. However, one could take the second option, and augment their algorithm so that surface position is used to approximate a grammatical role hierarchy.

Design a set of preferences for the Lappin and Leass method that assumes that only noun phrases are bracketed in the input. Construct six examples: (1) two that are handled by both methods, (2) two examples that Lappin and Leass handle but that are not handled by your adaptation, and (3) two that are not handled correctly by either algorithm. Make sure the examples are nontrivially different.

- 18.8 Consider passages (18.133a-b), adapted from Winograd (1972b).
- (18.133) The city council denied the demonstrators a permit because
  - a. they feared violence.
  - b. they advocated violence.

What are the correct interpretations for the pronouns in each case? Sketch out an analysis of each in the interpretation as abduction framework, in which these reference assignments are made as a by-product of establishing the Explanation relation.

- 18.9 Coherence relations may also apply temporal constraints to the events or states denoted by sentences in a discourse. These constraints must be compatible with the temporal information indicated by the tenses used. Consider the two follow-on sentences in example (18.134):
- (18.134) John got in a car accident.
  - a. He drank a six-pack of beer.
  - b. He had drunk a six-pack of beer.

In what order do the events occur in each case? What coherence relation is operative in each case? Discuss what might account for this difference given the fact that causes precede effects.

- 18.10 The coherence relations *Result* and *Explanation* are highly related, in that Explanation is essentially the same as Result except with the opposite ordering of clauses. These two relations are exemplified in examples (18.135) and (18.136).
- (18.135) Bill was drunk, so John hid his car keys.
- (18.136) John hid Bill's car keys because he was drunk.

Now consider the following examples:

- (18.137) Bill was drunk, but John didn't hide his car keys.
- (18.138) John hid Bill's car keys, even though he wasn't drunk.

The coherence relations underlying examples (18.137) and (18.138) have been called Violated Expectation and Denial of Preventer respectively.

Define the constraints that these two relations impose, using those for Result and Explanation as a guide. Discuss how we might consider all four relations to be parameterized versions of a single relation.

Select an editorial column from your favorite newspaper, and determine the discourse structure for a 10-20 sentence portion. What problems did you encounter? Were you helped by superficial cues the speaker included (e.g., discourse connectives) in any places?